

XI ACKNOWLEDGEMENT

These lecture notes could not have been written without the essential help of Kier Heeck (Chapter IXA), Klaus Yvon (Chapter VII) and the NASA Safety (Chapter IX). We are also grateful to all the members involved with hydrogen in metals at the Condensed Matter Division of the Faculty of Sciences of the Vrije Universiteit in Amsterdam: Andreas Borgschulte, Bernard Dam, Stanica Enache, Ingrid Giebels, A.T.M. van Gogh, A.F.Th. Hoekstra, Hans Huiberts, Marc Huisman, J. Isidorsson, J. Kalkman, J.W.J. Kerssemakers, N.J. Koeman, E.S. Kooij, M. Kremers, Wiebke Lohstroh, Annemarie Lokhorst, Dook van Mechelen, Sense Jan van der Molen, Dieter Nagengast, Beatriz Noheda, S. Plota, Jan Rector, Arndt Remhof, M.S. Welling, Ruud Westerwaal, and Rinke Wijngaarden. We acknowledge also the valuable collaboration with P.A. Duine, M. Ouwerkerk, P.H.L. Notten and P. van der Sluis, from the Philips Research Laboratories in Eindhoven. Furthermore we have benefited from the intensive interaction between all groups participating within European Research Network TMR “Thin metal-hydride films with switchable physical properties”